


# OSMO

## Quad Charging System

User Guide V1.0



## **Disclaimer and Warning**

Congratulations on purchasing your new DJI™ product. The information in this document affects your safety and your legal rights and responsibilities. Read this entire document carefully to ensure proper configuration before use. Failure to read and follow instructions and warnings in this document may result in serious injury to yourself or others, damage to your DJI product, or damage to other objects in the vicinity. This document and all other collateral documents are subject to change at the sole discretion of DJI. For up-to-date product information, visit <http://www.dji.com> and click on the product page for this product.

By using this product, you hereby signify that you have read this disclaimer and warning carefully and that you understand and agree to abide by the terms and conditions herein. You agree that you are solely responsible for your own conduct while using this product, and for any consequences thereof. You agree to use this product only for purposes that are proper and in accordance with all applicable laws, rules, and regulations, and all terms, precautions, practices, policies and guidelines DJI has made and may make available. DJI accepts no liability for damage, injury or any legal responsibility incurred directly or indirectly from the use of this product. The user shall observe safe and lawful practices including, but not limited to, those set forth in this document.

DJI is a trademark of SZ DJI Technology Co., Ltd. (abbreviated as "DJI") and its affiliated companies. Names of products, brands, etc., appearing in this manual are trademarks or registered trademarks of their respective owner companies.

## Important

1. The Osmo™ Quad Charging System is only compatible with the dedicated DJI Battery Chargers. Do not use it with any other battery charger.
2. The Quad Charging System is only compatible with the Osmo HB01-522365 and HB02-542465 (high capacity) Intelligent Batteries. Do not use the Quad Charging System with other battery models.
3. Place the Quad Charging System on a flat and stable surface when in use. Ensure the device is properly insulated to prevent fire hazards.
4. Do not touch the metal terminals on the Quad Charging System.
5. Clean the metal terminals with a clean, dry cloth if there is any noticeable buildup.

## Introduction


The Osmo Quad Charging System is used with the dedicated DJI Battery Chargers, which can charge up to four Osmo Intelligent Batteries. It will take approximately 100 minutes (for the HB01-522365) or 120 minutes (for the HB02-542465) to fully charge the battery.



1. Battery Level Indicators
2. Charging Ports
3. Power Port

## Usage



1. Attach the Osmo Intelligent Battery to a Charging Port. The Charging Ports can charge one to four batteries at a time.
2. Connect the Osmo Quad Charging System to a DJI Charger, then connect the charger to a power outlet. The battery level LED indicators will indicate each battery's power level. Refer to the table below for more information about the blinking patterns.



- The Charger provided with the Osmo cannot be used with the Osmo Quad Charging System. Refer to the Specifications section for information about supported DJI Chargers.
-

## Battery Level Indicator Description

The four battery level indicators will blink alternately when there is no battery attached. The corresponding battery level indicator will indicate the battery's power level after it starts to charge, while the battery level indicator will turn off if there is no battery attached to the corresponding charging port.

Blinking Patterns		Battery Level
 ..... Blinking Green (within a certain time)	Blinks once	< 25%
	Blinks twice	25% to 49%
	Blinks three times	50% to 74%
	Blinks four times	75% to 99%
 — Solid Green		Fully charged

## Specifications

Model	OS1CH
Supported DJI Intelligent Battery	HB01-522365, HB02-542465
Supported DJI Charger	PH4C100 (Phantom 4 Charger) ADE019 (Phantom 3 - 100W Charger) A14-057N1A (Phantom 3 / Lightbridge 2 - 57W Charger)
Operating Temperature	5° to 40° C
Operating Voltage	12.6 V / 13.2 V
Weight	76 g

## Compliance Information

### FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### EU Compliance Statement

SZ DJI TECHNOLOGY CO., LTD. hereby declares that this device is in compliance with the essential requirements and other relevant provisions of the EMC Directive.

A copy of the EU Declaration of Conformity is available online at [www.dji.com/euro-compliance](http://www.dji.com/euro-compliance)



EU contact address: DJI GmbH, Industrie Strasse. 12, 97618, Niederlauer, Germany

---

### DJI Support

[www.dji.com/support](http://www.dji.com/support)

This content is subject to change.

Download the latest version from

<http://www.dji.com/product/osmo>

OSMO™ is a trademark of DJI.

Copyright © 2016 DJI All Rights Reserved.

Printed in China.